
# Pytes

# E-BOX 48100R

# **DATASHEET**







# **Pytes**

PYTES, a national high-tech enterprise founded in 2004, focuses on Lithium-ion battery solutions for e-bikes, e-motorcycles, 3C products, vacuum cleaners and energy storage systems, etc. Headquartered in Shanghai, PYTES has been expanding globally, setting up three production bases in Shanghai (China), Shandong (China) ,and Vietnam, two marketing & service centers in Europe and North America. PYTES is strong in R&D, with advanced laboratories certified by TUV, DEKRA, SGS & BV, etc.





# **Global Marketing & Service**



- · Global pre-sales & after-sales services
- · 7\*24H support, Efficient feedback



# Testing Labs





SGS



BV



TUV

DEKRA

#### **Mechanical Tests**



Vibration Test



**Drop Test** 



**Shocking Test** 



### Safety Tests



Short circuit Test



Impact Test



Needle Test

#### Environmental lests



Altitude Simulation



Thermal Shock

### Electrical Tests







JSO9001:2015 JSO14001:2015











The Region of the Control of the Con









REACH UN38.3 GB31241 CU IEC62133

CERTIFICAT

CERTIFICADO +

**CEPTUФИКАТ ◆** 

•

認證證書

•

CERTIFICATE

•

ZERTIFIKAT

### **TUV Certification of Cell**



#### CERTIFICATE

No. Z2 104405 0002 Rev. 00

Holder of Certificate: Ruipu Energy Co., Ltd.

No.205, Binhai 6th Road, Konggang New District

Longwan District 325024 Wenzhou, Zhejiang

PEOPLE'S REPUBLIC OF CHINA

Production 104405

Facility(ies):

**Certification Mark:** 



Product: Batteries

(Rechargeable Prismatic Lithium-ion Cell)

Model(s):

Parameters: Nominal voltage: 3.2Vd.c. Rated capacity: 100Ah

Tested IEC 62619:2017

according to:

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 64280206015801 Valid until: 2025-08-27

Date, 2020-08-28

( Harry Zhang )

Page 1 of 1

## **EESS Conformity Certification**





Certificate No.: EESS-220862-0

#### **CERTIFICATE OF SUITABILITY**

Certificate Holder: Astrum Energy Pty Ltd

L36, Phillip Governor Tower, 1 Farrer Pl.

Sydney, NSW 2000 AUSTRALIA

Regulatory Definition: Non-declared/ Out of Scope

Product Type: Li-lon Battery for Energy Storage

Trade Name: Pytes

Model No(s): E-BOX 48100R

Ratings: Nominal Voltage: 51.2Vdc Rated: 100Ah Class I IP20 Ambient Max 35°C

Charge/Discharge Current/ Power: 50A/2560W.

Standard(s): IEC 62619:2017

Conditions: Indoor use, to be installed by licenced professional in restricted access as per

Manufacturer's recommendation.

Required marking: The Regulatory Compliance Mark (RCM) in accordance with its conditions of use

as set out in the latest edition of AS/NZS 4417.1.

Date of Issue: 23 November 2022 Valid until: 22 November 2027

Conformity Certification Services Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies that the Electrical Equipment as described on this certificate complies with the minimum essential safety requirements for which the application has been made.

Dahey U.

For and on behalf of Conformity Certification Services Pty Ltd trading as EESS Conformity Certification

Suite 3, 695 The Horsley Drive, Smithfield, NSW 2164, AUSTRALIA





Page 1 of 1

# **TUV Certification of Battery**



IEC SYSTEM FOR (IECEE) CB SCHEME **CB TEST CERTIFICATE** Product (Li-ion Battery) Shanghai PYTES Energy Co., Ltd. Name and address of the applicant No. 3492 Jingian Road Fenoxian District 201406 Shanghai PEOPLE'S REPUBLIC OF CHINA Shanghai PYTES Energy Co., Ltd. No. 3492 Jinqian Road, Fengxian District, 201406 Shanghai, PEOPLE'S REPUBLIC OF CHINA Name and address of the manufacturer Shanghai PYTES Energy Co., Ltd. No. 3492 Jinqian Road, Fengxian District, 201406 Shanghai, PEOPLE'S Name and address of the factory REPUBLIC OF CHINA Nominal voltage: 51.2Vd.c. Rated capacity: 100Ah Ratings and principal characteristics Model/type Ref. E-BOX 48100R A sample of the product was tested and found IEC 62619:2017 to be in conformity with 085-282160216-000 as shown in the Test Report Ref. No. which forms part of this certificate This CB Test Certificate is issued by the National Certification Body CBS 003364 0008 Rev. 00 TÜV SÜD PSB Pte Ltd 15 International Business Park TÜV SÜD @ IBP Singapore 609937 PSB Singapore



#### Introduction

E-BOX series, the new generation LFP battery for home energy storage system. It provides safe, well-designed and high-performance standard LFP battery pack for you. The battery pack is compact, easy to install, free of maintenance, and could be deployed to the building block of energy storage system by being assembled in parallel. It is widely applied in home applications, small commercial and industrial energy storage system as well as Telecom stations.

#### **Features**



Self-Consumption store excess energy generated by solar panels and use it whenever needed



Back-Up Power Supply provide emergency power supply during grid outage



Electricity Bills Reduction charge the battery during off-peak period and discharge the battery during peak period



Smart Energy Management measure, monitor and manage the system in real-time optimize the system life span by intelligent algorithms



Longest Life and Highest Safety more than 6000 cycles @90%DOD




Wide Compatibility compatible with 16 mainstream inverters in the market

Pytes

## **Technical Specifications**

Battery Model	E-BOX 48100R
Chemistry	LFP
Nominal Voltage	51.2V (Range: 47.5V ~57.6V)
Rated DC Power	2.5kWh
Nominal Capacity	100Ah
Nominal Energy	5.12kWh
Unit Dimension	L440mm* W620mm* H117mm (2.6U)
Unit Weight	51kg
Standard Charge Current	50A
Maximum Charge Current	50A
Standard Discharge	50A
Maximum Discharge Rate	50A
Round-Trip Efficiency	≥95%
Communication Protocol	RS232, RS485, CAN
Cycle Life	≥6000cycles
Calendar Life	≥10years
Ambient Temperature	0°C~35°C
Depth of Discharge(DOD)	90%
Certificate	CE, IEC 62619, UL 1973, UL9540A, EESS (by UL 1973)

### **Operation Panel**








#### SHANGHAI PYTES ENERGY CO., LTD

Add: No.3492 Jinqian Road, Fengxian District, Shanghai, China pytesess@pytesgroup.com

#### K2 Battery Pty Ltd

Add: 12A Redland Drive, Mitcham VIC 3132 Australia gary@k2battery.com.au







**PYTES ENERGY**